

THE ROLE OF THE NASAL AIRWAY IN THE USE OF CPAP TO TREAT OSA

Terrence Malloy, RPSGT



After several years of finding it increasingly difficult to get out of bed, stifling yawns in office meetings and fighting sleep on his drive home, Michael gave in to his wife's request that he "PLEASE GO TO THE DOCTOR" about his snoring. His visit to the sleep clinic was followed by a night in the sleep lab. In his follow-up appointment, the doctor explained that his polysomnogram showed obstructive breathing, oxygen desaturations and sleep fragmentation. Michael reluctantly agreed to a second night in the sleep lab for a CPAP titration to determine the amount of pressure required to keep his airway open, stop his snoring and restore a normal sleep pattern. He was encouraged by the possibility of feeling better, driving without fighting sleep and an end to his wife's complaints about his snoring.

When he woke in the sleep lab after his CPAP titration he did feel more refreshed and soon he was given a CPAP unit and mask to use at home. However, he had difficulty getting used to the device, often waking during the night with the mask at his

side rather than his wife. Discouraged, he decided to return the CPAP device.

A number of factors are known to affect CPAP compliance, or, more accurately, acceptance and usage. Studies have shown that nasal congestion is a factor in a significant number of patients. Since the nasal airway is the route of choice for delivering air pressure to prevent upper airway collapse during sleep, it is important to consider the possible structural and physiologic impediments to the passage of increased airflow through the nose.

The anatomy of the nose serves several important purposes in normal ventilation. As air passes through the nares, it passes through the nasal valve area. This is the narrowest part of the upper airway and provides most of the resistance. This resistance serves to increase inspiratory time and provide PEEP on expiration. Poiseuille's Law states that flow through a tube is proportional to the radius to the 4th power and resistance is inversely proportional to the 4th power of the radius. In other words, a small decrease in the cross-section results in a significant increase in resistance. As many as 13% of patients with chronic nasal obstruction have nasal valve collapse. A Cottle test may be used to evaluate nasal valve stenosis. In this test, the cheek is gently pulled laterally with 1-2 fingers, which opens the nasal valve. The test is positive if the patient feels less airflow resistance. A nasal valve defect may be treated surgically, or with the adhesive nasal strips, favored by athletes.

The nasal cavity is divided into two halves by the nasal septum, comprised of cartilage and bone. It is estimated that 80% of people have an asymmetrical nasal cavity, without symptoms. If the septal deviation is significant, it can cause difficulty with airflow, sometimes on the side away from the deviation. Septoplasty is the surgical procedure to correct a septal deviation.

After passing the narrow nasal valve area, air passes into the larger nasal cavity where the flow becomes turbulent. This turbulence increases the passage of air around the nasal turbinates.

The turbinates are three shelf-like mucous-covered structures that serve to cleanse, humidify the air and moderate it's



THE ART & SCIENCE OF *sleep medicine*

Whether you're looking for an introduction to sleep medicine, studying for certification, or seeking specialization, you want your training to be state-of-the-art. Thousands of your colleagues — **physicians, technologists, respiratory therapists, nurses, and industry professionals** — have received their training at the nation's best known program, The Atlanta School of Sleep Medicine. We offer clinical polysomnography courses, board and registry preparation, as well as courses addressing specialized topics and specific populations. Watch for exciting announcements regarding our distance learning opportunities in 2007.

Visit www.sleepschool.com for a schedule of course offerings.

Learn the art and science of Sleep Medicine and Technology from the masters.



THE ATLANTA SCHOOL
OF SLEEP MEDICINE
& TECHNOLOGY

www.sleepschool.com

ESTABLISHED - STIMULATING - ACCREDITED - HANDS-ON - EXPERT FACULTY

CIRCLE READER ACTION CARD # 15

temperature. The turbinates are highly reactive to allergens, irritants, medications, airflow and temperature. Some feel that the turbinates also serve to promote changes in body position during sleep by periodic side to side engorgement called nasal cycling.

In some patients with septal deviation, the turbinates may have compensatory hypertrophy, or enlargement, on the side away from the deviation. In these cases, the patient may experience significant airflow resistance that is chronic or when nasal cycling results in turbinate engorgement on that side.

Rhinitis, or enlargement of the turbinates, is a reaction to the release of Histamine. Rhinitis may be acute or chronic. Another way to describe it may be as either seasonal or perennial. Seasonal rhinitis is commonly caused by pollen. Perennial or chronic rhinitis may be caused by one or several factors, including dust mites, mold and animal dander. Chronic rhinitis may also be a reaction to fumes, smoke, and temperature. Considering the prevalence of dust mites in mattresses, pillows and bedcovering and the relatively common practice of allowing pets to sleep on the bed, it is not surprising that the bedroom is a common location for rhinitis to occur. Supine sleeping posture may also cause turbinate engorgement. Turbinates are reactive to airflow, so that the increased flow associated with CPAP may be the trigger to enlargement. Rhinitis treatment should address the causes. If there is an allergic component, removal or minimizing the offending agent will help. Medications, including steroids may be indicated. Heated humidification has been shown to be effective in treating a turbinate reaction to increased flow of dry air and has become a common addition to a CPAP prescription.

Enlarged turbinates may be managed medically with antihistamines, decongestants or corticosteroids. Surgical treatment is either by excision, or more recently, radiofrequency (RF) ablation, or with a microdebrider. RF ablation, used in prostate enlargement, has been used in sleep-disordered breathing to reduce the size and stiffen the palate or reduce the size of the tongue. A microdebrider is a small tool that can be used to reduce the turbinates. Treatment by either RF or microdebrider is typically an office procedure with minimal patient discomfort.

Nasal polyps may also cause difficulty with the acceptance and tolerance of nasal CPAP. These are soft, jelly-like overgrowths of the lining of the sinuses. They are the end result of varying disease processes. Most are benign, but some may cause chronic inflammation of the nasal cavity or protrude into the nasal cavity. Conditions associated with multiple polyps include: Bronchial asthma, Cystic Fibrosis (CF), Allergic rhinitis, Chronic rhinosinusitis and Allergic reaction to aspirin.

The prevalence in children is 0.1% (6% in CF). The prevalence in adults is 1-4% overall. Polyp management includes surgical removal, steroids and elimination of a source of allergy.

In attempting to treat Obstructive Sleep Disordered Breathing with Nasal CPAP, it is important to consider that nasal airway anatomy and physiology may impede titration and may impair acceptance and usage. Effective treatment of nasal defects or the physiologic response to CPAP may increase acceptance and usage and may decrease the pressure requirement.

When Michael came to the Sleep Center to return his CPAP machine, his doctor convinced him to undergo a more complete upper airway evaluation. After the evaluation and subsequent treatment, Michael found that the use of CPAP was much easier and he no longer removed his mask in his sleep. Happily, he awoke in the morning to find his wife, not his mask at his side.

APSS Booth 707

Ll² xdlÜö ãi² g¶Y¶² Yö eoa
 LzögzYaeOo zLzOo zOYi Üä
 Lc- z² Y¶² O¶ioe³ " zYä² ä
 fi¶gi - %Lz² gzãããã
 ggzY¶G¶¶ - zãioe³ " zYä² ä
 l² g¶Yzqãfi¶gi - %Lz² gzä eee
 ä 1LBfi@3@= fil ä
 @zä² Yäi - z² ad¶ãioe³ gzä
 eä-l >; '= @3=JäD 31'@3=' 1%



1¶öä² qi gã¶ãOgzãfi Yä¶- zYäGä
 zO¶ã¶ eäzä² qi gã¶ãOgzãL Oeä
 ö eä² qi gã¶özö ä¶%ä OZä
 Gqä O L

foa -] i O¶ÜäO ¶² e¶Üe³ " aee

1/¶Eppjè' 1/ãppââ

3i ÜäOq e¶² äYä²² ¶öe¶²

fi² Ogaä Yä¶¶%zä¼Eppjè' 1/ãppäää
 ¶ÜäOä YäOä³ ½ ja³ejaäp
 ö ö ö -] i O¶Üä - ¶² e¶Üe³ " ¶gi-

-] i O¶ÜäO ¶² e¶Üe³ " n² gE

: BÈ ¶-äp² ääe½-OäD @- eZä-¶Oqä a lüYäãäi J ä¶¶]i]pãp²